

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 03/02/2016 Revision date: 19/08/2021 Supersedes version of: 31/07/2020 Version: 10.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Universal Cleaner UFI : 8TF7-F095-H00A-E9FY

Product code : 27/00

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : For professional use only Use of the substance/mixture : Cleaning Product

1.2.2. Uses advised against

Restrictions on use : Anything other than intended use as listed on the label.

1.3. Details of the supplier of the safety data sheet

Greyland Ltd

Tameside Park Industrial Estate

Fifth Avenue Dukinfield SK16 4PP UK

Tel: +44 (0) 161 343 3830 Fax: +44 (0) 161 343 0608 Email: sales@greyland.co.uk

1.4. Emergency telephone number

Emergency number : +44 (0) 161 343 3830

Monday - Friday (08:00 - 16:30)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1 H314
Serious eye damage/eye irritation, Category 1 H318

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage. Causes serious eye damage.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

Signal word (CLP) : Danger

Contains : disodium metasilicate; Alcohols c9-11, ethoxylated Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP) : P280 - Wear eye protection, protective gloves.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|--|------------|--|
| 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether | (CAS-No.) 112-34-5 (EC-No.) 203-961-6 (EC Index-No.) 603-096-00-8 (REACH-no) 01-2119475104-44 | ≥ 1 – < 10 | Eye Irrit. 2, H319 |
| 2-butoxyethanol | (CAS-No.) 111-76-2 (EC-No.) 203-905-0 (EC Index-No.) 603-014-00-0 | ≥ 1 – < 10 | Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Irrit. 2, H315 |
| disodium metasilicate | (CAS-No.) 6834-92-0 (EC-No.) 229-912-9 (EC Index-No.) 014-010-00-8 | ≥ 1 – < 10 | Skin Corr. 1B, H314 STOT SE 3, H335 |
| Sodium Xylenesulfonate | (CAS-No.) 1300-72-7 (EC-No.) 215-090-9 (REACH-no) 01-2119513350-56 | ≥ 1 – < 10 | Eye Irrit. 2, H319 |
| Alcohols c9-11, ethoxylated | (CAS-No.) 68439-46-3 (EC-No.) 614-482-0 (REACH-no) Exempt | ≥ 1 – < 10 | Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 |

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a

physician immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Burns

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

19/08/2021 (Version: 10.1) GB - en 2/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not

breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

Incompatible products : Oxidizing agent. Strong bases. Strong acids.

Special rules on packaging : Keep only in original container. Store in a closed container.

7.3. Specific end use(s)

No additional information available

19/08/2021 (Version: 10.1) GB - en 3/11

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

2-butoxyethanol (111-76-2) EU - Occupational Exposure Limits

OEL (15 min ref) (mg/m3)

OEL (15 min ref) (ppm)

| 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5) | | |
|---|---|--|
| EU - Occupational Exposure Limits | | |
| Local name | 2-(2-Butoxyethoxy)ethanol | |
| IOELV TWA (mg/m³) | 67.5 mg/m³ | |
| IOELV TWA (ppm) | 10 ppm | |
| IOELV STEL (mg/m³) | 101.2 mg/m³ | |
| IOELV STEL (ppm) | 15 ppm | |
| Regulatory reference | COMMISSION DIRECTIVE 2006/15/EC | |
| Ireland - Occupational Exposure Limits | | |
| Local name | 2-(2-Butoxyethoxy)ethanol | |
| OEL (8 hours ref) (mg/m³) | 67.5 mg/m³ | |
| OEL (8 hours ref) (ppm) | 10 ppm | |
| OEL (15 min ref) (mg/m3) | 101.2 mg/m³ | |
| OEL (15 min ref) (ppm) | 15 ppm | |
| Notes (IE) | IOELV (Indicative Occupational Exposure Limit Values) | |
| Regulatory reference | Chemical Agents Code of Practice 2020 | |
| United Kingdom - Occupational Exposure Limits | | |
| Local name | 2-(2-Butoxyethoxy)ethanol | |
| WEL TWA (mg/m³) | 67.5 mg/m³ | |
| WEL TWA (ppm) | 10 ppm | |
| WEL STEL (mg/m³) | 101.2 mg/m³ | |
| WEL STEL (ppm) | 15 ppm | |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE | |

| Local name | 2-Butoxyethanol |
|--|--|
| IOELV TWA (mg/m³) | 98 mg/m³ |
| IOELV TWA (ppm) | 20 ppm |
| IOELV STEL (mg/m³) | 246 mg/m³ |
| IOELV STEL (ppm) | 50 ppm |
| Notes | Skin |
| Regulatory reference | COMMISSION DIRECTIVE 2000/39/EC |
| Ireland - Occupational Exposure Limits | |
| Local name | 2-Butoxyethanol (EGBE) [Ethylene glycol monobutyl ether] |
| OEL (8 hours ref) (mg/m³) | 98 mg/m³ |
| OEL (8 hours ref) (ppm) | 20 ppm |

246 mg/m³

50 ppm

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| 2-butoxyethanol (111-76-2) | | |
|---|--|--|
| Notes (IE) | Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values) | |
| Regulatory reference | Chemical Agents Code of Practice 2020 | |
| United Kingdom - Occupational Exposure Limits | | |
| Local name | 2-Butoxyethanol | |
| WEL TWA (mg/m³) | 123 mg/m³ | |
| WEL TWA (ppm) | 25 ppm | |
| WEL STEL (mg/m³) | 246 mg/m³ | |
| WEL STEL (ppm) | 50 ppm | |
| Remark (WEL) | Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity) | |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE | |
| United Kingdom - Biological limit values | | |
| Local name | 2-Butoxyethanol | |
| United Kingdom (BEI) | 240 mmol/mol Creatinine Parameter: butoxyacetic acid - Medium: urine - Sampling time: Post shift | |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE | |

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

Chemical resistant gloves (according to European standard EN 374 or equivalent)

Eye protection:

Safety glasses. Use eye protection according to EN 166.

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Not required under normal conditions of use.

Personal protective equipment symbol(s):





Environmental exposure controls:

Avoid release to the environment.

Other information:

PPE should be worn to prevent any contact with the chemical.

Any contaminated clothing should be washed prior to re-use.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Blue.
Odour : Floral.

Odour threshold : No data available

pH : > 11.5

Relative evaporation rate (butylacetate=1) : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available

Flash point : > 80 °C

: No data available Auto-ignition temperature : No data available Decomposition temperature : Not applicable Flammability (solid, gas) : No data available Vapour pressure Relative vapour density at 20 °C : No data available : No data available Relative density Density : 1.03 - 1.05 Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available Explosive properties : No data available Oxidising properties : No data available **Explosive limits** : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Acute toxicity (inhalation) : Not classified

| disodium metasilicate (6834-92-0) | |
|-----------------------------------|--|
| LD50 dermal rat | > 5000 mg/kg bodyweight Animal: rat, Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity) |
| LC50 inhalation rat (mg/l) | > 2.06 mg/l air Animal: rat, Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity) |

| 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5) | |
|---|--|
| | 2764 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 2090 - 3645 |

| 2-butoxyethanol (111-76-2) | |
|----------------------------|---|
| LD50 oral rat | 1746 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1322 - 2301 |
| LD50 oral | 1414 mg/kg bodyweight Animal: guinea pig, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1020 - 1961 |
| LD50 dermal rat | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |

| Alcohols c9-11, ethoxylated (68439-46-3) | | |
|--|----------------------------|--|
| | LD50 dermal rat | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |
| | LC50 inhalation rat (mg/l) | > 1.6 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) |

Skin corrosion/irritation : Causes severe skin burns.

pH: > 11.5

Serious eye damage/irritation : Causes serious eye damage.

pH: > 11.5

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified

| disodium | metasilicate | (6834-92-0) |
|------------|--------------|-------------|
| uisoululli | metasincate | (0034-32-0) |

NOAEL (animal/female, F0/P) > 159 mg/kg bodyweight Animal: rat, Animal sex: female

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

disodium metasilicate (6834-92-0)

NOAEL (oral, rat, 90 days)
227 – 237 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)

| NOAEL (oral, rat, 90 days) | 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- |
|--|---|
| | Day Oral Toxicity in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity |
| | Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS |
| | 870.3100 (90-Day Oral Toxicity in Rodents) |
| I and the second | |

19/08/2021 (Version: 10.1) GB - en 7/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| 2-butoxyethanol (111-76-2) | |
|----------------------------|---|
| , | > 150 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) |

| Alcohols c9-11, ethoxylated (68439-46-3) | |
|--|---|
| , , , | ≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity in Rodents) |

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

Hazardous to the aquatic environment, short-term

: Not classified

Hazardous to the aquatic environment, long-term

: Not classified

(chronic)

| disodium metasilicate (6834-92-0) | |
|-----------------------------------|---|
| EC50 Daphnia 1 | 1700 mg/l Test organisms (species): Daphnia magna |
| EC50 72h algae (1) | 207 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |

: Before neutralisation, the product may represent a danger to aquatic organisms.

| 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5) | | |
|---|---|--|
| LC50 fish 1 | 1300 mg/l Test organisms (species): Lepomis macrochirus | |
| EC50 Daphnia 1 | > 100 mg/l Test organisms (species): Daphnia magna | |
| EC50 96h algae (1) | > 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) | |

| 2-butoxyethanol (111-76-2) | | |
|----------------------------|---|--|
| LC50 fish 1 | 1474 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) | |
| EC50 Daphnia 1 | ≈ 1800 mg/l Test organisms (species): Daphnia magna | |
| EC50 72h algae (1) | 911 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) | |
| EC50 72h algae (2) | 1840 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) | |
| NOEC (chronic) | 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d' | |
| NOEC chronic fish | > 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '21 d' | |

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

European List of Waste (LoW) code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Wash packaging with a suitable cleaner (water) before recycling. Otherwise dispose of as contaminated packaging. Always dispose of packaging in accordance with local regulations.
- : 15 01 10* packaging containing residues of or contaminated by dangerous substances 20 01 29* detergents containing dangerous substances

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

| ADR | IMDG | IATA | ADN | RID | | |
|---|--|--|--|--|--|--|
| 14.1. UN number | | | | | | |
| UN 1760 | UN 1760 | UN 1760 | UN 1760 | UN 1760 | | |
| 14.2. UN proper shippin | 14.2. UN proper shipping name | | | | | |
| CORROSIVE LIQUID, N.O.S. (disodium metasilicate) | CORROSIVE LIQUID, N.O.S. (disodium metasilicate) | Corrosive liquid, n.o.s. (disodium metasilicate) | CORROSIVE LIQUID, N.O.S. (disodium metasilicate) | CORROSIVE LIQUID, N.O.S. (disodium metasilicate) | | |
| Transport document descr | iption | | | | | |
| UN 1760 CORROSIVE LIQUID, N.O.S. (disodium metasilicate), 8, III, (E) | UN 1760 CORROSIVE LIQUID, N.O.S. (disodium metasilicate), 8, III | UN 1760 Corrosive liquid, n.o.s. (disodium metasilicate), 8, III | UN 1760 CORROSIVE LIQUID, N.O.S. (disodium metasilicate), 8, III | UN 1760 CORROSIVE LIQUID, N.O.S. (disodium metasilicate), 8, III | | |
| 14.3. Transport hazard | class(es) | | | | | |
| 8 | 8 | 8 | 8 | 8 | | |
| 8 | 8 | 8 | 8 | 8 | | |
| 14.4. Packing group | | | | | | |
| III | III | III | III | III | | |
| 14.5. Environmental hazards | | | | | | |
| Dangerous for the environment : No | Dangerous for the environment : No Marine pollutant : No | Dangerous for the environment : No | Dangerous for the environment : No | Dangerous for the environment : No | | |
| No supplementary information available | | | | | | |

14.6. Special precautions for user

Overland transport

Classification code (ADR) : C9
Special provisions (ADR) : 274
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T7
Portable tank and bulk container special provisions : TP1, TP28

(ADR)

Tank code (ADR) : L4BN
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Hazard identification number (Kemler No.) : 80

Orange plates

80 1760

:

Tunnel restriction code (ADR) : E EAC code : 2X APP code : B

Transport by sea

: 223, 274 Special provisions (IMDG) Packing instructions (IMDG) : P001, LP01 : IBC03 IBC packing instructions (IMDG) : T7 Tank instructions (IMDG) : TP1, TP28 Tank special provisions (IMDG) : F-A EmS-No. (Fire) EmS-No. (Spillage) : S-B Stowage category (IMDG) : A Stowage and handling (IMDG) : SW2

Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes.

Air transport

PCA Excepted quantities (IATA) : E1 : Y841 PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) : 1L : 852 PCA packing instructions (IATA) PCA max net quantity (IATA) : 5L CAO packing instructions (IATA) : 856 CAO max net quantity (IATA) : 60L Special provisions (IATA) : A3, A803 ERG code (IATA) : 8L

Inland waterway transport

Classification code (ADN) : C9
Special provisions (ADN) : 274
Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID): C9Special provisions (RID): 274Limited quantities (RID): 5LExcepted quantities (RID): E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP19

Portable tank and bulk container instructions (RID) : T7

Portable tank and bulk container special provisions : TP1, TP28

(RID)

Tank codes for RID tanks (RID) : L4BN
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12
Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 80

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

| Full text of H- and EUH-statements: | | |
|-------------------------------------|--|--|
| Acute Tox. 4 (Dermal) | Acute toxicity (dermal), Category 4 | |
| Acute Tox. 4 (Inhalation) | Acute toxicity (inhal.), Category 4 | |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 | |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 | |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 | |
| Skin Corr. 1B | Skin corrosion/irritation, Category 1B | |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 | |
| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation | |
| H302 | Harmful if swallowed. | |
| H312 | Harmful in contact with skin. | |
| H314 | Causes severe skin burns and eye damage. | |
| H315 | Causes skin irritation. | |
| H318 | Causes serious eye damage. | |
| H319 | Causes serious eye irritation. | |
| H332 | Harmful if inhaled. | |
| H335 | May cause respiratory irritation. | |

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.